

## Podaci o kritičnim supstancama

- 1 Rerne/dialog rerne
- 2 Mašine za pranje sudova
- 3 Aparat za kafu
- 4 Ploče za kuvanje/kombinovani komplet
- 5 Rerna na paru
- 6 Grejna fioka
- 7 Aspiratori
- 8 Uređaji za hlađenje i zamrzavanje
- 9 Usisivač
- 10 Mašina za pranje veša, mašina za pranje i sušenje veša, mašina za sušenje veša
- 11 Profesionalno ispiranje
- 12 Profesionalno pranje, sušenje, peglanje
- 13 Profesionalni pribor

## 1 Rerne/dialog rerne

Tip odobrenja uređaja	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca
(Vidi natpisnu pločicu)	Br.-mat.		Br.-mat.		Br.-mat.		Br.-mat.	
<b>Svi šporeti</b>	Regulator/regulator temperature 6850923 6850913 7512511 10471890 10471900 10471910 10471920 10471960 10471970	Olovo (CAS br. 7439-92-1; EC-br. 231-100-4)						
<b>Sve dialog rerne</b>	Otpusni element 4311530 6986500 10418350	Olovo (CAS br. 7439-92-1; EC-br. 231-100-4)						

H6100BM								
H6200BM								
H6300BM								
H6400BM								
H6401BM / BMX								
H6500BM								
H6560BP								
H6600BM / BP								
H6550-55B /BP								
H6600B / BP								
H6760BP								
H6800-1BM								
H6800BM / BMX / BP / BPX								
H6860BP / BPX								

H6890BP								
HR1622 / -1								
HR1924 / -1								
HR1936 / -1								
HR1956 / -1								
H2160B / E	Sklop regulatora temperature 7512511	Terfenil, hidrogenizovan (CAS br. 61788-32-7; EC br. 262-967-7)	Regulator 6850923 6850913	Borova kiselina (CAS br. 10043-35-3; EC br. 233-139-2)				
H2161-1B / E								
H2162E	Tajmer 7883943,							
H2164-1E	7883944,							
H2166E	7883945,							
H2251-55B / E	9966010,							
H2250-55E	9966011,							
H2260B / E	10549010,							
H2261B	10490970,							
H2261-1B / E	7884423,							
H2262B / E	7884424,							
	7884425,							
	7884426,							
	10328510,							
	10565490,							
	10565491,							
	10978980,							
	10978981,							

H2264-1E	10978982, 7883963,							
H6290B	7883964, 7883965,							
H2255-55B / E / P	9966020, 10549030,		Tajmer kućišta 7997891	Perfluorobutansulfonska kiselina (PFBS) i njene soli (CAS br. 29420-49- 3; EC br. 249-616-3)				
H2266B / E / P / I	7884483, 7884484, 7884485, 7884486,							
H2267B / E / I / P	10565480, 10565481, 10328520,							
H2268B / E / P	10978990, 10978991, 10978992,							
H2561B / P	10328470, 10978950,							
H2601B	10978951, 10978952,							
H2601-1B	10328480, 10978970,							
H2651-1-55B	10978971, 10978972,							
H2661B / P								
H2661-1B / P								
H2666B / P								
H2265B / E / I / P / C			Tajmer kućišta	Perfluorobutansulfonska kiselina (PFBS) i njene				

H2265-1B / E / I / P / C			7997891	soli (CAS br. 29420-49-3; EC br. 249-616-3)					
H2265-1-55B / E / P									
H2265-1-60B / E / P									
H2265-60B / E / P									
H2266-1B / E / P									
H2267-1B / E / P									
H2268-1B / E / P									
H2269-1B / E / P									
H2566BP									
H2567B / P / E									
H2651-55B									
H2661-1B									

H2661-1-60B / P								
H2661-60B / P								
H2663B / P								
H2666-60BP								
H2750BP								
H2751BP								
H2752BP								
H2760B / P								
H2765BP								
H2840B (C)								
H2850B (C) / P								
H2860B (C) / BP								
H2860-55B / P								
H2860-60B / P								

## 2 Mašine za pranje sudova

Tip odobrenja uređaja	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca	
(Vidi natpisnu pločicu)	Br.-mat.		Br.-mat.		Br.-mat.		Br.-mat.		
HG05 / - W	Odvodna pumpa 11142121 upravljačka/energetska elektronika ELPW 56XX	Olovo (CAS br. 7439-92-1; EC-br. 231-100-4)	Vizir 9259374, 9300664, 10396770, 10396740, 9461794, 9461824, 9259363, 9259364, 9360874, 9259392, 9360542, 10396790, 10396781, 10396660, 10396621	Perfluorobutansulfonska kiselina (PFBS) i njene soli (CAS br. 29420-49- 3; EC br. 249-616-3)					
					Optički				





HG06			provodnik 9666660, 9272950, 10125461					
HG07 / - W								

## 3 Aparat za kafu

Tip odobrenja uređaja	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca
(Vidi natpisnu pločicu)	Br.-mat.		Br.-mat.		Br.-mat.		Br.-mat.	
CM5	Crevo 9242400, 7911390, 6726140, 6453650, 10769780, 7992301	Olovo (CAS br. 7439-92-1; EC br. 231-100-4)						
	Montažna ploča 7922270							
	Motor 10777700, 9230683							
	Jedinica za mlevenje 9820391							
	Ventil 9209533,							

	9209533, 10769583, 10769584							
	TB 10777730							
	Mrežni kabl 7911341, 10769860							
CM6	Crevo 9630560							
	Motor 9820602, 11682260							
	Jedinica za mlevenje 9820391							
	Ventil 10826693, 11019101, 11682491, 10826694, 10826692, 10826693, 11682490							

	TB 9820490, 10746420, 10700721							
	Mrežni kabl 10769860							
CM7	Crevo 10278710, 6726620, 10876130							
	Motor 10278560							
	Jedinica za mlevenje 10279791							
	Ventil 10826673, 10826670, 10826680, 10826673							
	Porcioniranje 10503941							
	TB 10729900							

	Mrežni kabl 10878010							
CVA2000	Crevo 6059740, 6059760, 6059770, 6060000, 6059790, 6453650, 6453660, 9417540							
	TB 6802770, 6802780							
	Ventil 6114234, 6059806							
	Mrežni kabl 6060170							
CVA3000	Crevo 6059740, 6059760, 6453650, 6453660, 7947060,							

	9417540							
	TB 6802770, 6802780							
	Ventil 6114234, 6059806							
	Mrežni kabl 6060170							
CVA4000	Crevo 6726880, 6725920, 6726140, 6727492, 6726620, 6726650, 7992301							
	Motor 9817963							
	Mrežni kabl 9633750							

CVA5000	Crevo 7270680, 6453660, 6727492, 7270690, 7270990, 7270590, 9633290, 9364730, 7270854, 7992301							
	Ventil 7270834, 7270835, 7270834							
	Motor 9817963							
	Mrežni kabl 9633750							
CVA6000	Crevo 9628720, 7911390, 6453650, 6453660, 9630560, 7270690, 7270990,							

	9633290, 9630391, 9969881, 10174540, 7992301							
	Ventil 9633230, 9630352, 7270834, 7270835, 9630352, 7270834							
	Motor 9817973							
	TB 10746230, 10739120, 10746240, 10739130							
	Mrežni kabl 9633750							
CVA7000	Crevo 6059760, 6453650, 7270690, 11018860, 10876130							



	Ventil 11018671, 11018661, 11018672, 11018660, 11018671							
	Porcioniranje 10503941							
	Mrežni kabl 11019980							

## 4 Ploče za kuvanje/kombinovani komplet

Tip odobrenja uređaja	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca				
(Vidi natpisnu pločicu)	Br.-mat.		Br.-mat.		Br.-mat.		Br.-mat.					
KM520	Grejna ploča 4771000, 4771020, 8038961, 4771010	Olovo (CAS br. 7439-92-1; EC br. 231-100-4)	Regulator 8230650, 8239000	Borova kiselina (CAS br. 10043-35-3; EC br. 233-139-2)	Silikonska žica 8241000, 8240990	4,4'-izopropiliden-edifenol						
KM523										(Bisfenol A; BPA) (CAS br. 80-05-7; EC br. 201-245-8)		
	Regulator 8230650, 8038765											
KM2011	Mlaznica 8119120,											

KM2033	8119140, 8119220									
	Zaptivni prsten 11323670									
KM2014	Mesingani profil 8015150, 8214290									
KM2034										
KM2052	Zaptivni prsten 11323670									
KM2054										
KM3034-1										
KM3054-1										
KM2354	Mesingani profil 8015150, 8214290								Silikonska žica 8240990	4,4'- izopropiliden- edifenol (bisfenol A; BPA) (CAS br. 80-05-7; EC br. 201- 245-8)
KM2355										
KM2356-1	Mlaznica 30091450, 8119160, 8119220									
KM2357-1										
	Destilaciona slavina 8126190, 8126201, 8286740, 8286750,									

	10920300							
	Zaptivni prsten 11323670							
KM2010	Mesingani profil 8214290							
KM2012	Zaptivni prsten 11323670							
KM2032								
KM2356	Mlaznica 8119160, 8119220				Silikonska žica 8240990	4,4'- izopropiliden- edifenol (bisfenol A; BPA) (CAS br. 80-05-7; EC br. 201- 245-8)		
KM2357								
	Destilaciona slavina 8286810							
	Zaptivni prsten 11323670							
KM2312	Mesingani profil 8214290				Silikonska žica 8240990	4,4'- izopropiliden- edifenol (bisfenol A;		
KM2334	Mlaznica 8122760							

KM2335	Destilaciona slavina 8123820, 8123830, 8123840					BPA) (CAS br. 80-05-7; EC br. 201-245-8)		
	Spojnica 8281181							
	Zaptivni prsten 11323670							
KM3010	Mesingani profil 8214290				Silikonska žica 8241020, 8240990	4,4'-izopropiliden-edifenol (bisfenol A; BPA) (CAS br. 80-05-7; EC br. 201-245-8)		
KM3014	Destilaciona slavina 8287280, 8287290, 8287380, 10920710, 10920750							
KM3034-1								
KM3054-1	Spojnica 8281181							
	Prikaz preostale vlažnosti 8287150, 8287160							

	Prikaz kontrolne table 10907480, 10907650							
	Zaptivni prsten 11323670							
KM5618	Grejna ploča 8239870, 8038961, 8219760, 8239890, 8285620, 8224200, 8220720, 8245200, 8285650, 8137570, 8224280, 8224200				Silikonska žica 8241000, 8241020, 8247850	4,4'- izopropiliden- edifenol (bisfenol A; BPA) (CAS br. 80-05-7; EC br. 201- 245-8)		
KM5822								
KM6520								
KM6521								
KM6522								
KM6523								
KM6527								
KM6540								
KM6542								
KM6543								
KM6564								
KM6565								

KM5604	Grejna ploča 8239870, 8038961, 8219760, 8239890, 8285620, 8224200, 8220720,							
KM6002								
KM6003								
KM6012								
KM6013								
KM6017								
KM6023								
KM6024								
KM6031								
KM6002		Grejna ploča 8239920				Silikonska žica 8240990	4,4'- izopropiliden- edifenol (bisfenol A; BPA) (CAS br. 80-05-7; EC br. 201- 245-8)	
KM6003								
KM6012								
KM6013								
KM6017								
KM6023								
KM6024	Grejna ploča 8236720							

KM6031	Grejna ploča 8239930							
KM6387	Ispravljač 8249260							
	Elektronika 8130731							
KM6367-1					Jedinica za upravljanje 8122981	Olovni titanijum- cirkonijum- oksid (CAS br. 12626- 81-2; EC br. 235-727-4)		
KM6387					Elektronika 8130731			
KM6629	Kontrolna tabla 8128326							
KM7563								
KM7564								
KM7574								
KM7575								
KM7594								
KM7679								
KM7464	Indukcioni kalem							



KM7563	8122370, 8122390							
KM7575								
KM7629								
KM7684								
KM7689								
KM7699								
KM7899								
KM6367-1	Indukcioni kalem 8122390							
KM6839								
KM7005	Jedinica za upravljanje 8122981							
KM7164								
KM7174								
KM7465								
KM7564								
KM7594								
KM7515	Indukcioni kalem 10938520				Elektronika 8130731, 8135501, 10589270	Olovni titanijum-		

KM7999						cirkonijum- oksid (CAS br. 12626- 81-2; EC br. 235-727-4)		
KMDA7774	Elektronika 8135501							
	Indukcioni kalem 8122370							
KMDA7633	Kontrolna tabla 8128326				Silikonska žica 8241000, 8241020	4,4'- izopropiliden- edifenol (bisfenol A; BPA) (CAS br. 80-05-7; EC br. 201- 245-8)		
KMDA7634								
KMDA7774	Indukcioni kalem 8122370							
CS7101- 1FL	Mesingani profil 8019607							
CS1011-1								
CS1021-1								
CS1012-2	Mesingani profil 8214290							
	Mlaznica 3091450							
	Destilaciona							

	slavina 8126190							
	Zaptivni prsten 11323670							
CS1112 CS1112-1	Grejna ploča 4771020, 8038961, 8240680,	Regulator 8230650, 8239000, 8239040	Borova kiselina (CAS br. 10043-35- 3; EC br. 233-139- 2)	Silikonska žica 8241000, 8241020, 8240990	4,4'- izopropiliden- edifenol (bisfenol A; BPA) (CAS br. 80-05-7; EC br. 201- 245-8)			
CS1122								
CS1122-1	Regulator 8239000, 8239040							
CS1134								
CS1212-1 CS1221-1				Elektronika 8279912, 8279922, 8284001	Olovni titanijum- cirkonijum- oksid (CAS br. 12626- 81-2; EC br. 235-727-4)			
CS1222								
CS1234-1								
CS7101-1	Mesingani profil 8214290			Silikonska žica 8241020, 8240990	4,4'- izopropiliden- edifenol (bisfenol A; BPA) (CAS			
	Destilaciona slavina 8126201							

	Zaptivni prsten 11323670					br. 80-05-7; EC br. 201- 245-8)		
CS7102-1	Mesingani profil 8214290				Silikonska žica 8241020, 8240990	4,4'- izopropiliden- edifenol (bisfenol A; BPA) (CAS br. 80-05-7; EC br. 201- 245-8)		
	Mlaznica 3091450, 8119220							
	Destilaciona slavina 8286740, 8286750							
	Zaptivni prsten 11323670							
CS7612	Kontrolna tabla 8135422, 8128326				Silikonska žica 8241000	4,4'- izopropiliden- edifenol (bisfenol A; BPA) (CAS br. 80-05-7; EC br. 201- 245-8)		
CS7632								
CS7641	Indukcioni kalem 8122390, 10620990							

## 5 Rerna na paru

Tip odobrenja uređaja	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca
(Vidi natpisnu pločicu)	Br.-mat.		Br.-mat.		Br.-mat.		Br.-mat.	
DG6001					Silikonska žica 8241000, 8241020, 8240990	4,4'-izopropiliden- edifenol (bisfenol A; BPA) (CAS br. 80- 05-7; EC br. 201- 245-8)		
DG6010								
DG6019								
DGM6301								
DGM6401								
DGD7035	Mesingani profil 8019607	Olovo (CAS br. 7439-92-1; EC br. 231-100-4)	Ograničivač temperature 8222310	Borova kiselina (CAS br. 10043-35- 3; EC br. 233-139- 2)	Silikonska žica 8241000, 8241020, 8240990	4,4'-izopropiliden- edifenol (bisfenol A; BPA) (CAS br. 80- 05-7; EC br. 201- 245-8)		
	Ograničivač temperature 8222310							
DGD7635	Mesingani lim 8017702							

	Mesingani profil 8019607							
	Ograničivač temperature 8222310							
DGM7340	Motor 6873531							
DGM7440								
DGM7640								
DGM7645								
DGM7840								
DGM7845								
DGC7440X	Zatvarač vrata 10778710							
DGC7460X	Odvodni ventil 10722090							
DGC7840X								
DGC7845X								
DGC7860X								
DGC7865X								
DGC7340	Odvodni ventil							



DGC7440	10722090							
DGC7460								
DGC7540								
DGC7541								
DGC7640								
DGC7645								
DGC7660								
DGC7665								
DGC7840								
DGC7845								
DGC7860								
DGC7865								

## 6 Grejna fioka

Tip odobrenja uređaja	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca
(Vidi natpisnu pločicu)	Br.-mat.		Br.-mat.		Br.-mat.		Br.-mat.	
ESW6114			Silikonska žica 8241000, 8241020, 8240990	4,4'-izopropiliden- edifenol (bisfenol A; BPA) (CAS br. 80-05-7; EC br. 201-245-8)				
ESW6214								
ESW6229X								



**7 Aspiratori**

Tip odobrenja uređaja	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca
(Vidi natpisnu pločicu)	Br.-mat.		Br.-mat.		Br.-mat.		Br.-mat.	
DA sa pritiskanjem tasterom	Plastično kućište 11079150	Perfluorobutansulfonska kiselina (PFBS) i njene soli (CAS br. 29420-49-3; EC br. 249-616-3)						

## 8 Uređaji za hlađenje i zamrzavanje

Tip odobrenja uređaja	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca
(Vidi natpisnu pločicu)	Br.-mat.		Br.-mat.		Br.-mat.		Br.-mat.	
K 9000	Senzor za temperaturu 7902671, 7891431	Olovo (CAS br. 7439-92-1; EC br. 231-100-4)						
K 10000	Senzor za temperaturu 9335850, 7379321, 7317021, 7376841, 7801580, 7732230							
	Priključak 9975510							
K 20000	Jedinica za upravljanje				Jedinica za upravljanje	Olovni titanijum-		

	10450670, 11107680				10450670, 11107680	cirkonijum- oksid (CAS br. 12626-81- 2; EC br. 235-727- 4)		
K 30000	Jedinica za upravljanje 11096000, 11096010, 9662390, 9563300, 9566170, 9578950, 9567110, 10922430							
	Elektronika 10922380, 10922390, 10922400, 10782050, 10782040, 10782060, 10782080, 10782090, 10782100, 10021960, 10021970, 10021740,							

	10021760, 10021820, 10022010, 10021840, 11095990, 10741800, 10729620, 10729630, 10729680, 10729700, 10729780, 11505630							
	Priključak 9975510, 10035710							
K 70000	Priključak 11816280							
KD 10000	Priključak 9320180, 9975500							
KD 20000	Senzor 4559020							
KDN 10000	Senzor za temperaturu 7379321, 7317021, 7316951, 7891431,							

	7732240, 10035650							
KF 10000	Senzor za temperaturu 7317021, 7316951							
KF 30000	Jedinica za upravljanje 10741940, 10741980							
	Elektronika 10782000, 10741810							
KFN 10000	Senzor za temperaturu 7317021, 7316951, 7902671, 7891431, 9723320, 7732230		Senzor za temperaturu 10786560	Oktametilciklotetrasiloksan D4 (CAS br. 556-67-2; EC br. 209-136-7)	Jedinica za upravljanje 10788330	Olovni titanijum-cirkonijum-oksidi (CAS br. 12626-81-2; EC br. 235-727-4)		
	Elektronika 10019471, 9741080, 9040831, 9176921, 10035640		Zaptivka	Dodekametilcikloheksasiloksan D6 (CAS br. 540-97-6; EC br.				

	Jedinica za upravljanje 10788330			208-762-8)				
KFN 20000	Elektronika 11457660, 11457650, 11457610, 11457480, 11457450, 11457430, 11490950		Zaptivka	Dodekametilcikloheksasiloksan D6 (CAS br. 540-97-6; EC br. 208-762-8)				
KFN 30000	Jedinica za upravljanje 9558910, 9881600, 10794800							
	Elektronika 10788760, 10786020, 10741820, 10741840, 10729580, 10729600							
KFNS 20000	Elektronika 11457430							
KFNS 30000	Elektronika 10022190,							

	10022200, 10741820							
KS 20000	Elektronika 11457640							
KS 30000	Elektronika 10021990, 10021830							
KT 10000	Priključak 10035710							
KTN 10000	Senzor za temperaturu 7317021, 7376841, 7732240							
	Elektronika 7735670							
KWNS 20000	Elektronika 11457430							
KWT 60000	Senzor za temperaturu 7376841		Jedinica za upravljanje 9732783, 10262782, 9732773, 9732793, 9732782,	Perfluorobutansulfonska kiselina (PFBS) i njene soli (CAS br. 29420-49-3; EC br. 249-616-3)				

			10262781, 9732772					
KWT 70000								
KWTN 10000	Senzor za temperaturu 7902671							
F 9000	Senzor za temperaturu 7891431							
F 10000	Priključak 9975510, 10035710							
F 30000	Elektronika 10922410							
FN 10000	Elektronika 7877822		Zaptivka	Dodekametilcikloheksasiloksan D6 (CAS br. 540-97-6; EC br. 208-762-8)				
	Priključak 9320180, 9975490, 9975500, 9975510							
FN 20000	Jedinica za upravljanje				Jedinica za upravljanje	Olovni titanijum-		



	10450100				10450100	cirkonijum- oksid (CAS br. 12626-81- 2; EC br. 235-727- 4)		
	Elektronika 11457630							
FN 30000	Elektronika 9860260, 10741850, 10741870							
FNS 30000	Elektronika 9860260, 10741850, 10741870							

## 9 Usisivač

Tip odobrenja uređaja	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca
(Vidi natpisnu pločicu)	Br.-mat.		Br.-mat.		Br.-mat.		Br.-mat.	
Triflex HS19	Rotor 11381180	Olovo (CAS br. 7439-92-1; EC br. 231-100-4)						
	Odstojnik 01125060							
	Odstojna podloška 05396692, 09421280							
	Adapter 09167901							

## 10 Mašina za pranje veša, mašina za pranje i sušenje veša, mašina za sušenje veša

Tip odobrenja uređaja	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca	
(Vidi natpisnu pločicu)	Br.-mat.		Br.-mat.		Br.-mat.		Br.-mat.		
Mašina za pranje veša HW 20,	Elektronika 9985525, 10760110	Olovo (CAS br. 7439-92-1; EC br. 231-100-4)			Crevo 9058973	Dekametilciklopentasiloksan D5 (CAS br. 541-02-6; EC br. 208-764-9)	Crevo 9058973, 10097750	Dodekametilcikloheksasiloksan D6 (CAS br. 540-97-6; EC br. 208-762-8)	
HW 20-W									
Mašina za pranje i sušenje veša HWT 03	Elektronika 10760111		Crevo 9058973	Oktametilciklotetrasiloksan D4 (CAS br. 556-67-2; EC br. 209-136-7)	O-prsten 7896570, 7811170		O-prsten 7896570, 7811170, 10359670		
Profesionalne mašine za pranje veša (Mali giganti) GW 06	Elektronika 10760112				Zaptivka 9348392, 9348382				

Mašina za sušenje veša HT19, HT20, HT25, HT28, HT28-W	Elektronika 10760113 , 10760114 , 11223520 , 11223521		Crevo 9058973	Oktametilciklotetrasil oksan D4 (CAS br. 556-67-2; EC br. 209-136-7)				
HT30	, 11223522 , 11349040							
Profesionalne mašine za sušenje veša (Mali giganti) GT09, GT10	Elektronika 11349041 , 11379650							

## 11 Profesionalno ispiranje

Tip odobrenja uređaja	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca
(Vidi natpisnu pločicu)	Br.-mat.		Br.-mat.		Br.-mat.		Br.-mat.	
Profiline	Pumpa za izbacivanje vode 11142121, 5634684	Olovo (CAS br. 7439-92-1; EC br. 231-100-4)						
	Utikač 11261710							
	Vrata 10425740							
	Transformator 10426840							
	Kućište utikača 05908530							
Endoskop RDG	Pumpa za izbacivanje vode 11142121, 5634684							

Komercijalna mašina za ispiranje PG	Cirkulaciona pumpa 11499690, 11306191, 10514540							
	Priključni blok 05914090							
RDG	Cirkulaciona pumpa 11499690, 11306191, 10514540							
Velike površine RDG								

## 12 Profesionalno pranje, sušenje, peglanje

Tip odobrenja uređaja	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca	Komponenta	Supstanca
(Vidi natpisnu pločicu)	Br.-mat.		Br.-mat.		Br.-mat.		Br.-mat.	
PW102	Upravljačka/energetska elektronika 10327800, 10073700, 7985733	Olovo (CAS br. 7439-92-1; EC br. 231-100-4)						
PW001								
PT001 - 006	Upravljačka/energetska elektronika 7113356, 6482409, 7273368							
PM001	Upravljačka/energetska elektronika 11004733, 10279303, 7646802							
PM002								
HB001								

## 13 Profesionalni pribor

Komponenta	Supstanca	Supstanca	Supstanca	Supstanca	Supstanca	Supstanca	Supstanca	Supstanca
Br.-mat.								
Komplet mehanizama za podizanje BL1 11511890, 11532870, 11717460	Olovo (CAS br. 7439-92-1; EC br. 231-100-4)	Dodekametilcikloheksani loksan D6 (CAS br. 540-97-6; EC br. 208-762-8)	Olovni oksid (CAS br. 1317-36-8; EC br. 215-267-0)					
Upravljačka jedinica 11717450, 11534970, 11534980								
Senzor 4559020				Tris (4-nonilfenil, razgranati) fosfit, tris (nonilfenil) fosfit (CAS br. 26523-78-4; EC br. 247-759-6)				



The Miele logo consists of the word "Miele" in a white, bold, sans-serif font, centered within a dark red rectangular background.

Usklađenost kompanije Miele sa svim evropskim regulatornim zahtevima koji ograničavaju supstance osigurava da, kada se naši proizvodi koriste kako je predviđeno i ispravno, nema opasnosti po životnu sredinu ili zdravlje ljudi kada se koriste ili odlažu.